

Chemistry Data Booklet

Higher and Advanced Higher

For use in National Qualification Courses.

Publication date: January 2026

Published by Qualifications Scotland
The Optima Building, 58 Robertson Street, Glasgow G2 8DQ
Lowden, 24 Wester Shawfair, Dalkeith, Midlothian EH22 1FD

The information in this publication may be reproduced in support of Qualifications Scotland qualifications. If it is reproduced, Qualifications Scotland should be clearly acknowledged as the source. If it is to be used for any other purpose, then written permission must be obtained from Qualifications Scotland. It must not be reproduced for trade or commercial purposes.

© Qualifications Scotland 2026

Contents

Relationships for Higher and Advanced Higher Chemistry	4
Names, Symbols, Relative Atomic Masses and Densities	5
Melting and Boiling Points of Selected Elements.	6
Covalent Radii of Selected Elements.	7
Electron Arrangements of Elements	8
Formulae of Selected Ions containing more than one kind of Atom	9
Solubilities of Selected Compounds in Water	9
Melting and Boiling Points of Selected Oxides	10
Melting and Boiling Points of Selected Chlorides	10
Melting and Boiling Points of Selected Organic Compounds	10
Enthalpies of Formation and Combustion of Selected Substances	11
Selected Bond and Mean Bond Enthalpies	11
Enthalpy of Sublimation of Carbon	11
Ionisation Energies and Electronegativities of Selected Elements	12
Electrochemical Series: Standard Reduction Potentials.	13
Electrolysis of Water	13
Dissociation Constants of Selected Species.	14
Acid-base Indicators.	14
Infra-red Correlation Table.	15
Spectral Lines and Flame Colours.	16
Proton NMR Spectra Correlation Chart	17
Ionic Radii of Selected Ions	18
Standard Entropy Values for Selected Substances	18
Colour Wheel.	19
Système Internationale Units	20
Physical Constants	20
Properties of Water	20
SI Prefixes and Multiplication Factors	20
Conversion Factors.	20

Relationships for Higher and Advanced Higher Chemistry

$$E_h = cm\Delta T$$

$$\% \text{ yield} = \frac{\text{Actual yield}}{\text{Theoretical yield}} \times 100$$

$$n = cV$$

$$n = \frac{m}{GFM}$$

$$\text{average rate} = \frac{\Delta \text{quantity}}{\Delta t}$$

$$c = f\lambda$$

$$E = \frac{Lhc}{\lambda}$$

$$K = \frac{[C]^c [D]^d}{[A]^a [B]^b} \text{ for } aA + bB \rightleftharpoons cC + dD$$

$$\text{pH} = -\log_{10} [\text{H}_3\text{O}^+]$$

$$\text{p}K_a = -\log_{10} K_a$$

$$\text{pH} = \frac{1}{2}\text{p}K_a - \frac{1}{2}\log_{10} c$$

$$K_w = [\text{H}_3\text{O}^+][\text{OH}^-]$$

$$K_{\text{In}} = \frac{[\text{H}_3\text{O}^+][\text{In}^-]}{[\text{HIn}]}$$

$$\Delta H^\circ = \sum \Delta H^\circ_f(\text{products}) - \sum \Delta H^\circ_f(\text{reactants})$$

$$\Delta G^\circ = \sum \Delta G^\circ_f(\text{products}) - \sum \Delta G^\circ_f(\text{reactants})$$

$$\Delta G = \Delta H - T\Delta S$$

$$\% \text{ atom economy} = \frac{\text{Mass of desired product(s)}}{\text{Total mass of reactants}} \times 100$$

$$\frac{c_1 V_1}{n_1} = \frac{c_2 V_2}{n_2}$$

$$\% \text{ by mass} = \frac{m}{GFM} \times 100$$

$$\text{reaction rate} = \frac{1}{t}$$

$$E = Lhf$$

$$\text{pOH} = -\log_{10} [\text{OH}^-]$$

$$\text{pH} = \text{p}K_a - \log_{10} \frac{[\text{acid}]}{[\text{salt}]}$$

$$\text{pH} + \text{pOH} = 14$$

$$\text{pH} = \text{p}K_{\text{In}} \pm 1$$

$$\Delta S^\circ = \sum S^\circ(\text{products}) - \sum S^\circ(\text{reactants})$$

$$\Delta G^\circ = \Delta H^\circ - T\Delta S^\circ$$

Names, Symbols, Relative Atomic Masses and Densities

(Relative atomic masses, also known as average atomic masses, have been rounded to the nearest 0.1)

Element	Symbol	Relative atomic mass	Density (g cm ⁻³)
Actinium	Ac	227.0	10.0
Aluminium	Al	27.0	2.70
Americium	Am	243.1	12.0
Antimony	Sb	121.8	6.68
Argon	Ar	39.9	0.0018
Arsenic	As	74.9	5.75
Astatine	At	210.0	unknown
Barium	Ba	137.3	3.62
Berkelium	Bk	247.1	13.3
Beryllium	Be	9.0	1.85
Bismuth	Bi	209.0	9.79
Boron	B	10.8	2.34
Bromine	Br	79.9	3.10
Cadmium	Cd	112.4	8.69
Calcium	Ca	40.1	1.54
Californium	Cf	251.1	15.1
Carbon	C	12.0	*
Cerium	Ce	140.1	6.77
Caesium	Cs	132.9	1.87
Chlorine	Cl	35.5	0.0032
Chromium	Cr	52.0	7.15
Cobalt	Co	58.9	8.86
Copper	Cu	63.5	8.96
Curium	Cm	247.1	13.51
Dysprosium	Dy	162.5	8.55
Einsteinium	Es	252.1	unknown
Erbium	Er	167.3	9.07
Europium	Eu	152.0	5.24
Fluorine	F	19.0	0.0017
Francium	Fr	223.0	unknown
Gadolinium	Gd	157.3	7.90
Gallium	Ga	69.7	5.91
Germanium	Ge	72.6	5.32
Gold	Au	197.0	19.3
Hafnium	Hf	178.5	13.3
Helium	He	4.0	0.0002
Holmium	Ho	164.9	8.80
Hydrogen	H	1.0	0.00009
Indium	In	114.8	7.31
Iodine	I	126.9	4.93
Iridium	Ir	192.2	22.6
Iron	Fe	55.8	7.87
Krypton	Kr	83.8	0.0037
Lanthanum	La	138.9	6.15
Lead	Pb	207.2	11.3
Lithium	Li	6.9	0.53
Lutetium	Lu	175.0	9.84
Magnesium	Mg	24.3	1.74

Element	Symbol	Relative atomic mass	Density (g cm ⁻³)
Manganese	Mn	54.9	7.30
Mercury	Hg	200.6	13.5
Molybdenum	Mo	96.0	10.2
Neodymium	Nd	144.2	7.01
Neon	Ne	20.2	0.0009
Neptunium	Np	237.0	20.2
Nickel	Ni	58.7	8.90
Niobium	Nb	92.9	8.57
Nitrogen	N	14.0	0.0013
Osmium	Os	190.2	22.6
Oxygen	O	16.0	0.0014
Palladium	Pd	106.4	12.0
Phosphorus	P	31.0	1.82
Platinum	Pt	195.1	21.5
Plutonium	Pu	244.1	19.7
Polonium	Po	209.0	9.20
Potassium	K	39.1	0.89
Praseodymium	Pr	140.9	6.77
Promethium	Pm	144.9	7.26
Protactinium	Pa	231.0	15.4
Radium	Ra	226.0	5.00
Radon	Rn	222.0	0.0097
Rhenium	Re	186.2	20.8
Rhodium	Rh	102.9	12.4
Rubidium	Rb	85.5	1.53
Ruthenium	Ru	101.1	12.1
Samarium	Sm	150.4	7.52
Scandium	Sc	45.0	2.99
Selenium	Se	79.0	4.81
Silicon	Si	28.1	2.33
Silver	Ag	107.9	10.5
Sodium	Na	23.0	0.97
Strontium	Sr	87.6	2.64
Sulfur	S	32.1	2.00
Tantalum	Ta	180.9	16.4
Technetium	Tc	97.9	11.0
Tellurium	Te	127.6	6.23
Terbium	Tb	158.9	8.23
Thallium	Tl	204.4	11.8
Thorium	Th	232.0	11.7
Thulium	Tm	168.9	9.32
Tin	Sn	118.7	7.29
Titanium	Ti	47.9	4.51
Tungsten	W	183.8	19.3
Uranium	U	238.0	19.1
Vanadium	V	50.9	6.00
Xenon	Xe	131.3	0.0059
Ytterbium	Yb	173.0	6.90
Yttrium	Y	88.9	4.47
Zinc	Zn	65.4	7.13
Zirconium	Zr	91.2	6.52

*The density of carbon as graphite is 2.27 g cm⁻³
The density of carbon as diamond is 3.51 g cm⁻³

Melting and Boiling Points of Selected Elements

Group 1		Group 2		Key																		Group 3	Group 4	Group 5	Group 6	Group 7	Group 0
1 Hydrogen −259 −253				Atomic number Name of element Melting point (°C) Boiling point (°C)																		2 Helium −271 −269					
3 Lithium 181 1342		4 Beryllium 1287 2471*																				5 Boron 2077 4000	6 Carbon †3825	7 Nitrogen −210 −196	8 Oxygen −219 −183	9 Fluorine −220 −188	10 Neon −249 −246
11 Sodium 98 883		12 Magnesium 650 1090																				13 Aluminium 660 2519	14 Silicon 1414 3265	15 Phosphorus 44 281	16 Sulfur 115 445	17 Chlorine −101 −34	18 Argon −189 −186
19 Potassium 63 759		20 Calcium 842 1484		21 Scandium 1541 2836	22 Titanium 1670 3287	23 Vanadium 1910 3407	24 Chromium 1907 2671	25 Manganese 1246 2061	26 Iron 1538 2861	27 Cobalt 1495 2927	28 Nickel 1455 2913	29 Copper 1085 2560	30 Zinc 420 907	31 Gallium 30 2229	32 Germanium 938 2833	33 Arsenic 817 1616	34 Selenium 221 685	35 Bromine −7 59	36 Krypton −157 −153								
37 Rubidium 39 688		38 Strontium 777 1377		39 Yttrium 1522 3345	40 Zirconium 1854 4406	41 Niobium 2477 4741	42 Molybdenum 2622 4639	43 Technetium 2157 4262	44 Ruthenium 2333 4147	45 Rhodium 1963 3695	46 Palladium 1555 2963	47 Silver 962 2162	48 Cadmium 321 767	49 Indium 157 2072	50 Tin 232 2586	51 Antimony 631 1587	52 Tellurium 450 988	53 Iodine 114 184	54 Xenon −112 −108								
55 Caesium 28 671		56 Barium 727 1845		57 Lanthanum 920 3464	72 Hafnium 2233 4600	73 Tantalum 3017 5455	74 Tungsten 3414 5555	75 Rhenium 3185 5590	76 Osmium 3033 5008	77 Iridium 2446 4428	78 Platinum 1768 3825	79 Gold 1064 2836	80 Mercury −39 357	81 Thallium 304 1473	82 Lead 327 1749	83 Bismuth 271 1564	84 Polonium 254 962	85 Astatine 302	86 Radon −71 −62								

* at 28 atmospheres
 † sublimes

Covalent Radii of Selected Elements

Group 1 Group 2

1 Hydrogen 32	
---------------------	--

Key

Atomic number Name of element Covalent radius (pm)
--

Group 3 Group 4 Group 5 Group 6 Group 7

3 Lithium 130	4 Beryllium 99
11 Sodium 160	12 Magnesium 140
19 Potassium 200	20 Calcium 174
37 Rubidium 215	38 Strontium 190
55 Caesium 238	56 Barium 206

21 Scandium 159	22 Titanium 148	23 Vanadium 144	24 Chromium 130	25 Manganese 129	26 Iron 124	27 Cobalt 118	28 Nickel 117	29 Copper 122	30 Zinc 120
39 Yttrium 176	40 Zirconium 164	41 Niobium 156	42 Molybdenum 146	43 Technetium 138	44 Ruthenium 136	45 Rhodium 134	46 Palladium 130	47 Silver 136	48 Cadmium 140
57 Lanthanum 194	72 Hafnium 164	73 Tantalum 158	74 Tungsten 150	75 Rhenium 141	76 Osmium 136	77 Iridium 132	78 Platinum 130	79 Gold 130	80 Mercury 132

5 Boron 84	6 Carbon 75	7 Nitrogen 71	8 Oxygen 64	9 Fluorine 60
13 Aluminium 124	14 Silicon 114	15 Phosphorus 109	16 Sulfur 104	17 Chlorine 100
31 Gallium 123	32 Germanium 120	33 Arsenic 120	34 Selenium 118	35 Bromine 117
49 Indium 142	50 Tin 140	51 Antimony 140	52 Tellurium 137	53 Iodine 136
81 Thallium 144	82 Lead 145	83 Bismuth 150	84 Polonium 142	85 Astatine 148

Electron Arrangements of Elements

Group 1 Group 2

(1)

1 H 1	4 He 2
Hydrogen	(2)
3 Li 2,1	4 Be 2,2
Lithium	Beryllium
11 Na 2,8,1	12 Mg 2,8,2
Sodium	Magnesium
19 K 2,8,8,1	20 Ca 2,8,8,2
Potassium	Calcium
37 Rb 2,8,18,8,1	38 Sr 2,8,18,8,2
Rubidium	Strontium
55 Cs 2,8,18,18,8,1	56 Ba 2,8,18,18,8,2
Caesium	Barium
87 Fr 2,8,18,32,18,8,1	88 Ra 2,8,18,32,18,8,2
Francium	Radium

Key

Atomic number
Symbol
Electron arrangement
Name

Transition Elements

(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
21 Sc 2,8,9,2	22 Ti 2,8,10,2	23 V 2,8,11,2	24 Cr 2,8,13,1	25 Mn 2,8,13,2	26 Fe 2,8,14,2	27 Co 2,8,15,2	28 Ni 2,8,16,2	29 Cu 2,8,18,1	30 Zn 2,8,18,2
Scandium	Titanium	Vanadium	Chromium	Manganese	Iron	Cobalt	Nickel	Copper	Zinc
39 Y 2,8,18,9,2	40 Zr 2,8,18,10,2	41 Nb 2,8,18,12,1	42 Mo 2,8,18,13,1	43 Tc 2,8,18,13,2	44 Ru 2,8,18,15,1	45 Rh 2,8,18,16,1	46 Pd 2,8,18,18,0	47 Ag 2,8,18,18,1	48 Cd 2,8,18,18,2
Yttrium	Zirconium	Niobium	Molybdenum	Technetium	Ruthenium	Rhodium	Palladium	Silver	Cadmium
57 La 2,8,18,18,9,2	72 Hf 2,8,18,32,10,2	73 Ta 2,8,18,32,11,2	74 W 2,8,18,32,12,2	75 Re 2,8,18,32,13,2	76 Os 2,8,18,32,14,2	77 Ir 2,8,18,32,15,2	78 Pt 2,8,18,32,17,1	79 Au 2,8,18,32,18,1	80 Hg 2,8,18,32,18,2
Lanthanum	Hafnium	Tantalum	Tungsten	Rhenium	Osmium	Iridium	Platinum	Gold	Mercury
89 Ac 2,8,18,32,18,9,2	104 Rf 2,8,18,32,32,10,2	105 Db 2,8,18,32,32,11,2	106 Sg 2,8,18,32,32,12,2	107 Bh 2,8,18,32,32,13,2	108 Hs 2,8,18,32,32,14,2	109 Mt 2,8,18,32,32,15,2	110 Ds 2,8,18,32,32,17,1	111 Rg 2,8,18,32,32,18,1	112 Cn 2,8,18,32,32,18,2
Actinium	Rutherfordium	Dubnium	Seaborgium	Bohrium	Hassium	Meitnerium	Darmstadtium	Roentgenium	Copernicium

(13)	(14)	(15)	(16)	(17)	(18)
5 B 2,3	6 C 2,4	7 N 2,5	8 O 2,6	9 F 2,7	10 Ne 2,8
Boron	Carbon	Nitrogen	Oxygen	Fluorine	Neon
13 Al 2,8,3	14 Si 2,8,4	15 P 2,8,5	16 S 2,8,6	17 Cl 2,8,7	18 Ar 2,8,8
Aluminium	Silicon	Phosphorus	Sulfur	Chlorine	Argon
31 Ga 2,8,18,3	32 Ge 2,8,18,4	33 As 2,8,18,5	34 Se 2,8,18,6	35 Br 2,8,18,7	36 Kr 2,8,18,8
Gallium	Germanium	Arsenic	Selenium	Bromine	Krypton
49 In 2,8,18,18,3	50 Sn 2,8,18,18,4	51 Sb 2,8,18,18,5	52 Te 2,8,18,18,6	53 I 2,8,18,18,7	54 Xe 2,8,18,18,8
Indium	Tin	Antimony	Tellurium	Iodine	Xenon
81 Tl 2,8,18,32,18,3	82 Pb 2,8,18,32,18,4	83 Bi 2,8,18,32,18,5	84 Po 2,8,18,32,18,6	85 At 2,8,18,32,18,7	86 Rn 2,8,18,32,18,8
Thallium	Lead	Bismuth	Polonium	Astatine	Radon
113 Nh 2,8,18,32,32,18,3	114 Fl 2,8,18,32,32,18,4	115 Mc 2,8,18,32,32,18,5	116 Lv 2,8,18,32,32,18,6	117 Ts 2,8,18,32,32,18,7	118 Og 2,8,18,32,32,18,8
Nihonium	Flerovium	Moscovium	Livermorium	Tennesine	Oganeson

Lanthanides

57 La 2,8,18,18,9,2	58 Ce 2,8,18,20,8,2	59 Pr 2,8,18,21,8,2	60 Nd 2,8,18,22,8,2	61 Pm 2,8,18,23,8,2	62 Sm 2,8,18,24,8,2	63 Eu 2,8,18,25,8,2	64 Gd 2,8,18,25,9,2	65 Tb 2,8,18,27,8,2	66 Dy 2,8,18,28,8,2	67 Ho 2,8,18,29,8,2	68 Er 2,8,18,30,8,2	69 Tm 2,8,18,31,8,2	70 Yb 2,8,18,32,8,2	71 Lu 2,8,18,32,9,2
Lanthanum	Cerium	Praseodymium	Neodymium	Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holmium	Erbium	Thulium	Ytterbium	Lutetium

Actinides

89 Ac 2,8,18,32,18,9,2	90 Th 2,8,18,32,18,10,2	91 Pa 2,8,18,32,20,9,2	92 U 2,8,18,32,21,9,2	93 Np 2,8,18,32,22,9,2	94 Pu 2,8,18,32,24,8,2	95 Am 2,8,18,32,25,9,2	96 Cm 2,8,18,32,25,9,2	97 Bk 2,8,18,32,27,8,2	98 Cf 2,8,18,32,28,8,2	99 Es 2,8,18,32,29,8,2	100 Fm 2,8,18,32,30,8,2	101 Md 2,8,18,32,31,8,2	102 No 2,8,18,32,32,8,2	103 Lr 2,8,18,32,32,9,2
Actinium	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Nobelium	Lawrencium

Formulae of Selected Ions containing more than one kind of Atom

one positive		one negative		two negative		three negative	
Ion	Formula	Ion	Formula	Ion	Formula	Ion	Formula
ammonium	NH_4^+	ethanoate	CH_3COO^-	carbonate	CO_3^{2-}	phosphate	PO_4^{3-}
		hydrogencarbonate	HCO_3^-	chromate	CrO_4^{2-}		
		hydrogensulfate	HSO_4^-	dichromate	$\text{Cr}_2\text{O}_7^{2-}$		
		hydrogensulfite	HSO_3^-	sulfate	SO_4^{2-}		
		hydroxide	OH^-	sulfite	SO_3^{2-}		
		nitrate	NO_3^-	thiosulfate	$\text{S}_2\text{O}_3^{2-}$		
		permanganate	MnO_4^-				

Solubilities of Selected Compounds in Water

The table shows how some compounds behave in cold water

vs means very soluble (a solubility greater than 10 g l^{-1})
s means soluble (a solubility of between 1 and 10 g l^{-1})
i means insoluble (a solubility of less than 1 g l^{-1})
— no data

	bromide	carbonate	chloride	iodide	nitrate	phosphate	sulfate	oxide	hydroxide
aluminium	vs	—	vs	vs	vs	i	vs	i	i
ammonium	vs	vs	vs	vs	vs	vs	vs	—	—
barium	vs	i	vs	vs	vs	i	i	vs	vs
calcium	vs	i	vs	vs	vs	i	s	s	s
copper(II)	vs	i	vs	—	vs	i	vs	i	i
iron(II)	vs	i	vs	vs	vs	i	vs	i	i
iron(III)	vs	—	vs	—	vs	i	vs	i	i
lead(II)	s	i	s	i	vs	i	i	i	i
lithium	vs	vs	vs	vs	vs	i	vs	vs	vs
magnesium	vs	i	vs	vs	vs	i	vs	i	i
nickel	vs	i	vs	vs	vs	i	vs	i	i
potassium	vs	vs	vs	vs	vs	vs	vs	vs	vs
silver	i	i	i	i	vs	i	s	i	—
sodium	vs	vs	vs	vs	vs	vs	vs	vs	vs
tin(II)	vs	i	vs	s	—	i	vs	i	i
zinc	vs	i	vs	vs	vs	i	vs	i	i

Note: Some of the compounds in the table hydrolyse significantly in water.

Melting and Boiling Points of Selected Oxides

Element	Formula of oxide	mp (°C)	bp (°C)
hydrogen	H ₂ O	0	100
lithium	Li ₂ O	1438	
beryllium	BeO	2578	3900
boron	B ₂ O ₃	450	1860
carbon	CO ₂	sublimes at -78	
nitrogen	N ₂ O ₄	-9	21
fluorine	F ₂ O	-224	-144
sodium	Na ₂ O	sublimes at 1134	
magnesium	MgO	2825	3600
aluminium	Al ₂ O ₃	2053	2977
silicon	SiO ₂	1713	2950
phosphorus	P ₄ O ₁₀	sublimes at 300	
sulfur	SO ₂	-75	-10
chlorine	Cl ₂ O	-121	2
potassium	K ₂ O	740	
calcium	CaO	2613	

Melting and Boiling Points of Selected Chlorides

Element	Formula of chloride	mp (°C)	bp (°C)
lithium	LiCl	610	1383
beryllium	BeCl ₂	405	482
boron	BCl ₃	-107	12
carbon	CCl ₄	-23	77
nitrogen	NCl ₃	-40	71
fluorine	FCl	-155	-100
sodium	NaCl	802	1465
magnesium	MgCl ₂	714	1412
aluminium	Al ₂ Cl ₆	sublimes at 180	
silicon	SiCl ₄	-69	58
phosphorus	PCl ₃	-93	76
sulfur	SCl ₂	-122	60
potassium	KCl	771	1680
calcium	CaCl ₂	775	

Melting and Boiling Points of Selected Organic Compounds

Name of compound	mp (°C)	bp (°C)
methane	-182	-162
ethane	-183	-89
propane	-188	-42
butane	-138	-1
pentane	-130	36
hexane	-95	69
heptane	-90	98
octane	-57	126
cyclobutane	-91	12
cyclopentane	-93	49
cyclohexane	7	81
ethene	-169	-104
propene	-185	-48
but-1-ene	-185	-6
pent-1-ene	-165	30
hex-1-ene	-140	63
benzene	6	80

Name of compound	mp (°C)	bp (°C)
methanol	-98	65
ethanol	-114	78
propan-1-ol	-124	97
propan-2-ol	-88	82
butan-1-ol	-89	118
butan-2-ol	-88	99
methanal	-92	-19
ethanal	-123	21
propanal	-80	48
butanal	-97	75
propanone	-95	56
butanone	-87	80
methanoic acid	8	101
ethanoic acid	17	118
propanoic acid	-20	142
butanoic acid	-5	164
methoxyethane	-113	7
ethoxyethane	-116	34

Enthalpies of Formation and Combustion of Selected Substances

Substance	Standard enthalpy of formation (kJ mol ⁻¹)	Standard enthalpy of combustion (kJ mol ⁻¹)
hydrogen	–	–286
carbon (graphite)	–	–394
sulfur (rhombic)	–	–297
methane	–75	–891
ethane	–84	–1561
propane	–104	–2220
butane	–126	–2878
benzene	49	–3268
ethene	52	–1411
ethyne	227	–1300
methanol	–239	–726
ethanol	–278	–1367
propan-1-ol	–303	–2021
methanoic acid	–425	–254
ethanoic acid	–484	–874

Selected Bond and Mean Bond Enthalpies

Bond Enthalpies

Bond	Enthalpy (kJ mol ⁻¹)
H – H	436
O = O	498
N ≡ N	945
F – F	159
Cl – Cl	243
Br – Br	194
I – I	152
H – F	570
H – Cl	431
H – Br	366
H – I	298

Mean Bond Enthalpies

Bond	Mean Enthalpy (kJ mol ⁻¹)
Si – Si	226
C – C	346
C = C	614
C ≡ C	839
C – C (aromatic)}	507
H – O	463
H – N	388
C – H	412
C – N	296
C ≡ N	937
C – O	360
C = O	804
C – F	484
C – Cl	338
C – Br	276
C – I	238

Enthalpy of Sublimation of Carbon

The energy required to convert 1 mole solid carbon into 1 mole gaseous carbon atoms is 716 kJ at 298 K (25 °C). The equation is

$$\text{C(s)} \rightarrow \text{C(g)} \quad \Delta H = 716 \text{ kJ}$$

Ionisation Energies and Electronegativities of Selected Elements

Notes: The first ionisation energy for an element E refers to the reaction $E(g) \rightarrow E^+(g) + e^-$; the second ionisation energy refers to $E^+(g) \rightarrow E^{2+}(g) + e^-$; etc.

Element	Symbol	Ionisation Energies (kJ mol ⁻¹)				Electro-negativity (Pauling scale)
		First	Second	Third	Fourth	
hydrogen	H	1312	–	–	–	2.2
helium	He	2372	5251	–	–	–
lithium	Li	520	7298	11 815	–	1.0
beryllium	Be	900	1757	14 849	21 007	1.6
boron	B	801	2427	3660	25 026	2.0
carbon	C	1086	2353	4620	6223	2.6
nitrogen	N	1402	2856	4578	7475	3.0
oxygen	O	1314	3389	5300	7469	3.4
fluorine	F	1681	3374	6050	8408	4.0
neon	Ne	2081	3952	6122	9371	–
sodium	Na	496	4562	6910	9543	0.9
magnesium	Mg	738	1451	7733	10 543	1.3
aluminium	Al	578	1817	2745	11 577	1.6
silicon	Si	787	1577	3232	4356	1.9
phosphorus	P	1012	1908	2914	4964	2.2
sulfur	S	1000	2252	3357	4556	2.6
chlorine	Cl	1251	2298	3822	5159	3.2
argon	Ar	1521	2666	3931	5771	–
potassium	K	419	3052	4420	5877	0.8
calcium	Ca	590	1145	4912	6491	1.0
scandium	Sc	633	1235	2389	7091	1.4
titanium	Ti	659	1310	2653	4175	1.5
vanadium	V	651	1410	2828	4507	1.6
chromium	Cr	653	1591	2987	4743	1.7
manganese	Mn	717	1509	3248	4940	1.6
iron	Fe	762	1562	2957	5287	1.8
cobalt	Co	760	1648	3232	4950	1.9
nickel	Ni	737	1753	3395	5297	1.9
copper	Cu	745	1958	3555	5536	1.9
zinc	Zn	906	1733	3833	5731	1.7
gallium	Ga	579	1979	2965	6102	1.8
germanium	Ge	762	1537	3302	4411	2.0
arsenic	As	944	1794	2735	4837	2.0
bromine	Br	1140	2083	3473	4564	3.0
rubidium	Rb	403	2633	3859	5075	0.8
strontium	Sr	549	1064	4138	5500	1.0
silver	Ag	731	2072	3361	–	1.9
tin	Sn	709	1412	2943	3930	2.0
antimony	Sb	831	1605	2441	4265	2.1
iodine	I	1008	1846	3184	–	2.7
caesium	Cs	376	2234	–	–	0.8
barium	Ba	503	965	–	–	0.9
gold	Au	890	1949	–	–	2.4
lead	Pb	716	1450	3081	4083	1.8

Electrochemical Series: Standard Reduction Potentials

Note: The data given below are reduction potentials applicable to standard state conditions.

Reaction	E° (V)
$\text{Li}^+(\text{aq}) + \text{e}^- \rightleftharpoons \text{Li}(\text{s})$	-3.04
$\text{Cs}^+(\text{aq}) + \text{e}^- \rightleftharpoons \text{Cs}(\text{s})$	-3.03
$\text{Rb}^+(\text{aq}) + \text{e}^- \rightleftharpoons \text{Rb}(\text{s})$	-2.98
$\text{K}^+(\text{aq}) + \text{e}^- \rightleftharpoons \text{K}(\text{s})$	-2.93
$\text{Sr}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Sr}(\text{s})$	-2.90
$\text{Ca}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Ca}(\text{s})$	-2.87
$\text{Na}^+(\text{aq}) + \text{e}^- \rightleftharpoons \text{Na}(\text{s})$	-2.71
$\text{Mg}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Mg}(\text{s})$	-2.37
$\text{Al}^{3+}(\text{aq}) + 3\text{e}^- \rightleftharpoons \text{Al}(\text{s})$	-1.68
$2\text{H}_2\text{O}(\ell) + 2\text{e}^- \rightleftharpoons \text{H}_2(\text{g}) + 2\text{OH}^-(\text{aq})$	-0.83
$\text{Zn}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Zn}(\text{s})$	-0.76
$\text{Cr}^{3+}(\text{aq}) + 3\text{e}^- \rightleftharpoons \text{Cr}(\text{s})$	-0.74
$\text{Fe}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Fe}(\text{s})$	-0.45
$\text{Ni}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Ni}(\text{s})$	-0.26
$\text{Sn}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Sn}(\text{s})$	-0.14
$\text{Pb}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Pb}(\text{s})$	-0.13
$\text{Fe}^{3+}(\text{aq}) + 3\text{e}^- \rightleftharpoons \text{Fe}(\text{s})$	-0.04
$2\text{H}^+(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{H}_2(\text{g})$	0.00
$\text{S}_4\text{O}_6^{2-}(\text{aq}) + 2\text{e}^- \rightleftharpoons 2\text{S}_2\text{O}_3^{2-}(\text{aq})$	0.08
$\text{Sn}^{4+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Sn}^{2+}(\text{aq})$	0.15
$\text{Cu}^{2+}(\text{aq}) + \text{e}^- \rightleftharpoons \text{Cu}^+(\text{aq})$	0.15
$\text{SO}_4^{2-}(\text{aq}) + 2\text{H}^+(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{SO}_3^{2-}(\text{aq}) + \text{H}_2\text{O}(\ell)$	0.17
$\text{Cu}^+(\text{aq}) + \text{e}^- \rightleftharpoons \text{Cu}(\text{s})$	0.34
$\text{O}_2(\text{g}) + 2\text{H}_2\text{O}(\ell) + 4\text{e}^- \rightleftharpoons 4\text{OH}^-(\text{aq})$	0.40
$\text{I}_2(\text{s}) + 2\text{e}^- \rightleftharpoons 2\text{I}^-(\text{aq})$	0.54
$\text{Fe}^{3+}(\text{aq}) + \text{e}^- \rightleftharpoons \text{Fe}^{2+}(\text{aq})$	0.77
$\text{Ag}^+(\text{aq}) + \text{e}^- \rightleftharpoons \text{Ag}(\text{s})$	0.80
$\text{Hg}^{2+}(\text{aq}) + 2\text{e}^- \rightleftharpoons \text{Hg}(\ell)$	0.85
$\text{Br}_2(\ell) + 2\text{e}^- \rightleftharpoons 2\text{Br}^-(\text{aq})$	1.07
$\text{O}_2(\text{g}) + 4\text{H}^+(\text{aq}) + 4\text{e}^- \rightleftharpoons 2\text{H}_2\text{O}(\ell)$	1.23
$\text{Cr}_2\text{O}_7^{2-}(\text{aq}) + 14\text{H}^+(\text{aq}) + 6\text{e}^- \rightleftharpoons 2\text{Cr}^{3+}(\text{aq}) + 7\text{H}_2\text{O}(\ell)$	1.36
$\text{Cl}_2(\text{g}) + 2\text{e}^- \rightleftharpoons 2\text{Cl}^-(\text{aq})$	1.36
$\text{MnO}_4^-(\text{aq}) + 8\text{H}^+(\text{aq}) + 5\text{e}^- \rightleftharpoons \text{Mn}^{2+}(\text{aq}) + 4\text{H}_2\text{O}(\ell)$	1.51
$\text{H}_2\text{O}_2(\text{aq}) + 2\text{H}^+(\text{aq}) + 2\text{e}^- \rightleftharpoons 2\text{H}_2\text{O}(\ell)$	1.78
$\text{F}_2(\text{g}) + 2\text{e}^- \rightleftharpoons 2\text{F}^-(\text{aq})$	2.87

Electrolysis of Water

Reduction reactions at the negative electrode $2\text{H}_2\text{O}(\ell) + 2\text{e}^- \rightarrow \text{H}_2(\text{g}) + 2\text{OH}^-(\text{aq})$ $2\text{H}^+(\text{aq}) + 2\text{e}^- \rightarrow \text{H}_2(\text{g})$
Oxidation reactions at the positive electrode $2\text{H}_2\text{O}(\ell) \rightarrow \text{O}_2(\text{g}) + 4\text{H}^+(\text{aq}) + 4\text{e}^-$ $4\text{OH}^-(\text{aq}) \rightarrow 2\text{H}_2\text{O}(\ell) + \text{O}_2(\text{g}) + 4\text{e}^-$

Dissociation Constants of Selected Species

Equilibrium in aqueous solution			K_a	pK_a
methanoic acid	$\text{HCOOH} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{HCOO}^-$	1.8×10^{-4}	3.75
ethanoic acid	$\text{CH}_3\text{COOH} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{CH}_3\text{COO}^-$	1.7×10^{-5}	4.76
propanoic acid	$\text{CH}_3\text{CH}_2\text{COOH} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{CH}_3\text{CH}_2\text{COO}^-$	1.3×10^{-5}	4.87
butanoic acid	$\text{CH}_3(\text{CH}_2)_2\text{COOH} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{CH}_3(\text{CH}_2)_2\text{COO}^-$	1.5×10^{-5}	4.83
benzoic acid	$\text{C}_6\text{H}_5\text{COOH} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{C}_6\text{H}_5\text{COO}^-$	6.3×10^{-5}	4.20
phenol	$\text{C}_6\text{H}_5\text{OH} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{C}_6\text{H}_5\text{O}^-$	1.0×10^{-10}	9.99
hydrofluoric acid	$\text{HF} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{F}^-$	6.3×10^{-4}	3.20
boric acid	$\text{H}_3\text{BO}_3 + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{H}_2\text{BO}_3^-$	5.4×10^{-10}	9.27
hydrocyanic acid	$\text{HCN} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{CN}^-$	6.2×10^{-10}	9.21
carbonic acid	$\text{H}_2\text{O} + \text{CO}_2 + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{HCO}_3^-$	4.5×10^{-7}	6.35
hydrogencarbonate ion	$\text{HCO}_3^- + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{CO}_3^{2-}$	4.7×10^{-11}	10.33
sulfurous acid	$\text{H}_2\text{SO}_3 + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{HSO}_3^-$	1.4×10^{-2}	1.85
hydrogensulfite ion	$\text{HSO}_3^- + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{SO}_3^{2-}$	6.3×10^{-8}	7.20
hydrogen sulfide	$\text{H}_2\text{S} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{HS}^-$	8.9×10^{-8}	7.05
hydrogensulfide ion	$\text{HS}^- + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{S}^{2-}$	1.0×10^{-19}	19.00
phosphoric acid	$\text{H}_3\text{PO}_4 + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{H}_2\text{PO}_4^-$	6.9×10^{-3}	2.16
dihydrogenphosphate ion	$\text{H}_2\text{PO}_4^- + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{HPO}_4^{2-}$	6.2×10^{-8}	7.21
hydrogenphosphate ion	$\text{HPO}_4^{2-} + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{PO}_4^{3-}$	4.8×10^{-13}	12.32
ammonium ion	$\text{NH}_4^+ + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{NH}_3$	5.6×10^{-10}	9.25
methylammonium ion	$\text{CH}_3\text{NH}_3^+ + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{CH}_3\text{NH}_2$	2.2×10^{-11}	10.66
phenylammonium ion	$\text{C}_6\text{H}_5\text{NH}_3^+ + \text{H}_2\text{O}$	$\rightleftharpoons \text{H}_3\text{O}^+ + \text{C}_6\text{H}_5\text{NH}_2$	1.3×10^{-5}	4.87

Acid-base Indicators

Acid-base indicator	pH range
bromophenol blue	3.0–4.6
methyl orange	3.1–4.4
methyl red	4.4–6.2
phenolphthalein	8.3–10.0
bromocresol green	3.8–5.4
bromocresol purple	5.2–6.8
bromothymol blue	6.0–7.6
cresol red	0.0–1.0; 7.0–8.8
<i>p</i> -nitrophenol	5.4–6.6
phenol red	6.8–8.4
thymol blue	1.2–2.8; 8.0–9.6
thymolphthalein	9.4–10.6
screened methyl orange	2.9–4.4
azolitmin (litmus)	4.5–8.3

Infrared Correlation Table

Wave number range (cm^{-1})	Type of compound	Infrared absorption due to
3600–3200	alcohols and phenols	hydrogen bonded O – H stretch
3650–3590	alcohols and phenols	not hydrogen bonded O – H stretch
3500–3300	amine, not hydrogen bonded	N – H stretch
3300	alkyne	C – H stretch in $\text{C} \equiv \text{C} - \text{H}$
3095–3010	alkene	C – H stretch in $\text{C} = \text{C} - \text{H}$
3100–3000	benzene ring	C – H stretch
2962–2853	alkane	C – H stretch
2900–2820	aldehyde	C – H stretch in $-\text{CHO}$
2775–2700	aldehyde	C – H stretch in $-\text{CHO}$
3000–2500	carboxylic acid	hydrogen bonded O – H stretch in $-\text{COOH}$
2260–2215	nitriles	$\text{C} \equiv \text{N}$ stretch
2260–2100	alkynes	$\text{C} \equiv \text{C}$ stretch
1750–1735	ester	$\text{C} = \text{O}$ stretch
1740–1700	aldehyde, ketones	$\text{C} = \text{O}$ stretch
1730–1717	aromatic ester	$\text{C} = \text{O}$ stretch
1725–1700	carboxylic acid	$\text{C} = \text{O}$ stretch
1700–1680	aromatic and alkyl ketones } aromatic carboxylic acid }	$\text{C} = \text{O}$ stretch
1680–1620	alkene	$\text{C} = \text{C}$ stretch
1600, 1580, 1500 and 1450	benzene ring	$\text{C} = \text{C}$ (aromatic) stretch
1485–1340	alkane	C – H bend
1342–1266	aromatic amine	C – N stretch
1275–1200	aromatic ether	C – O stretch
1250–1020	alkyl amine	C – N stretch
1150–1070	alkyl ether	C – O stretch

Spectral Lines and Flame Colours

Gas Discharge Lamps

Element	Wavelength (nm)	Colour
hydrogen (Balmer series)	656	red
	486	blue-green
	434	blue-green
	410	violet
	397	ultra-violet
	389	ultra-violet
helium	706	red
	667	red
	588	orange-yellow

Metal Vapour Lamps

Element	Wavelength (nm)	Colour
cadmium	644	red
	509	green
	480	blue
mercury	579 } 577 }	yellow doublet
	546	green
	436	blue-violet
	405	violet
	310	ultra-violet
sodium	589.0 } 589.6 }	orange-yellow doublet


Flame Colours

Note: The data refers to prominent spectral lines.

Element	Wavelength (nm)	Colour
barium	554	green
calcium	620	orange-red
copper	522	blue-green
lithium	671	crimson
potassium	405	lilac
sodium	589	orange-yellow
strontium	650	red

Proton NMR Spectra Correlation Chart

Note: Approximate chemical shift values of hydrogen atoms in different structural environments relative to tetramethylsilane (TMS) for which $\delta = 0$ ppm




Ionic Radii of Selected Ions

Ion	Radius (pm)
H ⁻	208
Li ⁺	76
Be ²⁺	45
N ³⁻	132
O ²⁻	140
F ⁻	133
Na ⁺	102
Mg ²⁺	72
Al ³⁺	54
P ³⁻	198
S ²⁻	184
Cl ⁻	181
K ⁺	138
Ca ²⁺	100
Ti ³⁺	67
V ³⁺	64
Cr ²⁺	73
Cr ³⁺	62
Mn ²⁺	83
Fe ²⁺	61
Fe ³⁺	55
Co ²⁺	65
Co ³⁺	55
Ni ²⁺	69
Cu ⁺	77
Cu ²⁺	73
Zn ²⁺	74
Br ⁻	196
Rb ⁺	152
Sr ²⁺	118
Ag ⁺	115
Sn ²⁺	112
I ⁻	220
Cs ⁺	167
Ba ²⁺	135
Hg ²⁺	102
Pb ²⁺	119

Standard Entropy Values for Selected Substances

Substance	Standard Entropy (J K ⁻¹ mol ⁻¹)
H ₂ (g)	131
He(g)	126
Li(s)	29
B(s)	5.9
C(s) (graphite)	5.7
C(s) (diamond)	2.4
N ₂ (g)	192
O ₂ (g)	205
F ₂ (g)	203
Na(s)	51
Mg(s)	33
Al(s)	28
Si(s)	19
Cl ₂ (g)	223
K(s)	65
Ca(s)	42
Fe(s)	27
Ni(s)	30
Cu(s)	33
Br ₂ (ℓ)	152
Ag(s)	43
I ₂ (s)	116
Cs(s)	85
Ba(s)	63
Au(s)	47
Hg(ℓ)	76
H ₂ O(ℓ)	70
H ₂ O(g)	189
CO ₂ (g)	214
MgO(s)	27
Al ₂ O ₃ (s)	51
SO ₂ (g)	248
CaO(s)	38
BaO(s)	72
NaCl(s)	72
CaCl ₂ (s)	108
CsCl(s)	101

Colour Wheel



Systeme Internationale (SI) Units

Quantity	Name of Unit	Symbol
length	metre	m
mass	kilogram	kg
time	second	s
electric current	ampere	A
temperature	degree celsius	°C
energy	joule	J
electric charge	coulomb	C
electric potential difference	volt	V
amount of substance	mole	mol

Physical Constants

Quantity	Symbol	Value
Avogadro constant	L	$6.02 \times 10^{23} \text{ mol}^{-1}$
Planck constant	h	$6.63 \times 10^{-34} \text{ J s}$
speed of light in vacuum	c	$3.00 \times 10^8 \text{ m s}^{-1}$

Properties of Water

Quantity	Value
specific heat capacity of liquid water	$4.18 \text{ kJ kg}^{-1} \text{ }^{\circ}\text{C}^{-1}$
ionic product of water	1.01×10^{-14} at $25 \text{ }^{\circ}\text{C}$

SI Prefixes and Multiplication Factors

SI Prefix	Symbol	Multiplication
tera	T	10^{12}
giga	G	10^9
mega	M	10^6
kilo	k	10^3
deci	d	10^{-1}
centi	c	10^{-2}
milli	m	10^{-3}
micro	μ	10^{-6}
nano	n	10^{-9}
pico	p	10^{-12}

Conversion Factors

For Volume	For Thermodynamic Temperature
1 litre = $1 \text{ dm}^3 = 1000 \text{ cm}^3$ 1000 litres = $1000 \text{ dm}^3 = 1 \text{ m}^3$	$0 \text{ }^{\circ}\text{C} = 273 \text{ K}$