-						
	FOR OFFICIAL USE			i	1	
	National Qualification 2019			Mark		
X735/77/01			Gra	phic Co	ommunio	catior
TUESDAY, 21 MAY 1:00 PM – 3:00 PM				 *	× X 7 3 5 7	7 0 1 ¥
Fill in these boxes and re Full name of centre	ad what is printed be	elow.	Town			
Forename(s)	Surnam	e			Number	of seat
Date of birth Day Month	Year S	Scottish ca	ndidate	e number		
Total marks — 80						
Attempt ALL questions.						

All dimensions are in mm.

All technical sketches and drawings use third angle projection.

You may use rulers, compasses or trammels for measuring.

In all questions you may use sketches and annotations to support your answer if you wish.

Write your answers clearly in the spaces provided in this booklet. Additional space for answers is provided at the end of this booklet. If you use this space you must clearly identify the question number you are attempting.

Use **blue** or **black** ink.

Before leaving the examination room you must give this booklet to the Invigilator; if you do not, you may lose all the marks for this paper.





Total marks — 80 Attempt ALL questions

1. A CAD model of an egg timer is shown below.



The CAD model was produced using bottom up modelling.

a)	Explain the terms top down and bottom up modelling.					
	Тор о	down				
	Botto	om up				
/t .pp	he m oleme TOLE	graphics of the glass container and the supporting leg will be used nanufacturer of the egg timer. These graphics are shown on the entary sheet for use with question 1. The supporting leg is annotated ERANCE A. The glass container is annotated with DATUM FACE B. Explain why TOLERANCE A, applied to the leg of the egg timer, is different from the general tolerance applied to the dimensions.				
	(11)	Describe two reasons for including DATUM FACE B in the technical graphics used by the manufacturer.				

\* X 7 3 5 7 7 0 1 0 2 \*

MARKS DO NOT WRITE IN THIS MARGIN

(c) Describe the 3D CAD modelling techniques used to create the 'glass container'. You must include the terms 'tangent constraint', 'mirror' and 'shell' in your answer. Refer to the supplementary sheet for use with question 1.

Make reference to relevant dimensions from the drawings in your answer.

You may use sketches to support your answer.



MARKS DO NOT WRITE IN THIS MARGIN

- 1. (continued)
  - (d) Describe the 3D CAD modelling techniques used to create the 'supporting leg' of the egg timer. Refer to the supplementary sheet for use with question 1.

Make reference to the dimensions from the drawings in your answer.

You may use sketches to support your answer.



MARKS DO NOT WRITE IN THIS MARGIN

2. An international airline has asked a graphic designer to plan and produce an animation to help inform passengers of the safety procedures on board its planes.




Motion tweening was used to create the animation.

(a) Describe three key setup requirements, in addition to selecting the character and positioning the first frame, when producing a motion tweening animation.



MARKS DO NOT WRITE IN THIS MARGIN (continued) 2. (b) State an appropriate file format which can be used to save the animation. 1 (c) (i) Describe two advantages to the airline passengers of using an animation rather than printed safety information. 2 (ii) Describe two disadvantages to the airline company of creating an animation rather than printed safety information. 2 X735770106\* \*

MARKS DO NOT THIS An annual extreme sports event attracts visitors from around the world. A 3. design for a promotional flag advertising the event is shown on the supplementary sheet for use with question 3. (a) Describe how the designer has used 'silhouette', 'negative space' and 'balance' to give the flag maximum visual impact. 3 Silhouette \_\_\_\_\_ Negative space \_\_\_\_\_ Balance \_\_\_\_\_ (b) Explain, giving two reasons, why the designer chose to create the flag graphic using vector graphics software. 2 [Turn over X 7 3 5 7 7 0 1 0 7



3. (d)	(con	tinued)	MARKS	WRITE THIS MARG
	(ii)	Describe two advantages of using method 2.	2	
			-	
			-	
	/			
	(iii)	Describe two advantages of using method 3.	2	
			-	
			-	
			-	
		[Turn over		

3.		ntinue		MARKS	TH
	The designer received a digital proof from the printer for final checking.				MAR
	(e)		ain, giving two reasons, why the following are critical to the quality e printed flag.		
		(i)	Registration marks	2	
		(ii)	Colour calibration	2	
	(f)	Fxnla	ain, giving three reasons, why the company would protect the rights		
	(')	to th	e graphics produced for the event.	3	


MARKS DO NOT WRITE IN THIS MARGIN T-shirts are available to buy at the event as part of a range of promotional merchandise. Two of the T-shirt designs are shown below.





(ii) Explain, giving three reasons, why this printing process is suitable.

[Turn over










[Turn over for next question

DO NOT WRITE ON THIS PAGE



(b) A preliminary graphic of one of the houses in the new development is shown below.






DO NOT WRITE IN THIS MARGIN

4.	(b)	(cont	tinued)	MARKS	DO NO WRITE THIS MARGI
		Expla by th	ain two ways the information contained in Graphic 1 could be used ne following audiences.		
			Quantity surveyor	2	
		(ii)	Architectural technician	2	
		(iii)	Conservation body	2	
			[Turn over		

5. A website is being created for a wind turbine company.
The initial web page layout, also known as a 'wireframe' is shown in Graphic 1
below.
MARKS




#### Graphic 1: Website wireframe

#### (a) Explain three purposes of using a wireframe in web design.

The website will include various educational, technical and commercial information.

An educational infographic aimed at young people will be available from the website in a PDF file format, shown in **Graphic 2**.


#### Graphic 2: printable PDF



- (b) Explain, with reference to design elements or principles, why the graphic is suitable for the target audience.
- 2

MARKS DO NOT WRITE IN

THIS



The company are keen to make the website as accessible and interactive as possible.

(c) (i) Describe how the use of the following graphic file formats could make the website accessible.

3GP \_\_\_\_\_ WMV \_\_\_\_\_ (ii) Describe how the following graphic media file formats could be 2 used to make the website interactive. VRML \_\_\_\_\_ MPEG \_\_\_\_\_



MARKS DO NOT WRITE IN THIS MARGIN

A new design of wind turbine is being introduced by the company. A graphic of the turbine, shown below, will feature in the website's background image.

#### Graphic 3: background image



(d) Explain how the image emphasises the new turbine, making reference to the following design elements and principles. Repeated responses will not attract any marks.

(i)	White space							
(ii)	Rule of thirds	1						
(iii)	Depth of field	1						



MARKS DO NOT WRITE IN THIS MARGIN

The website will include a section on the function of the new turbine and includes **Graphic 4** shown below.


Graphic 4: digital test



- (e) (i) State the name of the digital testing method shown in **Graphic 4**.
  - (ii) Describe how an engineer could make use of this test when designing the turbine.

2





## [END OF QUESTION PAPER]



#### MARKS DO NOT WRITE IN THIS MARGIN

## ADDITIONAL SPACE FOR ANSWERS



#### MARKS DO NOT WRITE IN THIS MARGIN

## ADDITIONAL SPACE FOR ANSWERS



[BLANK PAGE]

DO NOT WRITE ON THIS PAGE



[BLANK PAGE]

DO NOT WRITE ON THIS PAGE



## [BLANK PAGE]

### DO NOT WRITE ON THIS PAGE

#### Acknowledgement of copyright

- Question 2 VTT Studio/shutterstock.com
- APTX4869/shutterstock.com
- Question 3 (c)Mark Nazh/shutterstock.comQuestion 3 (g)Elegant Solution/shutterstock.com
- Question 5 (g) Elegant Solution shuttenets all some
- Question 4 (a)(v) Bardocz Peter/shutterstock.com
- Question 4 (b) Franck Boston/shutterstock.com
- Question 5 (a) Droidworker/shutterstock.com
- Question 5 (b)TatyanaTVK/shutterstock.comQuestion 5 (d)pedrosala/shutterstock.com
- Question 5 (e) viewgene/shutterstock.com

